



Diffie–Hellman Key Exchange

- The purpose of the algorithm is to enable two users to securely exchange a key that can then be used for subsequent encryption of messages.
- The algorithm itself is limited to the exchange of secret values. A number of commercial products employ (use) this key exchange technique.
- The Diffie-Hellman algorithm uses exponentiation in a finite (Galois) field (modulo a prime or a polynomial), and depends for its effectiveness on the difficulty of computing discrete logarithms.



The result is that the two sides have exchanged a secret value.



Ex: $\alpha = 3$ $X_A = 97$ and $X_B = 233$

A computes $Y_A = 3^{97} \text{ mod } 353 = 40$.

B computes $Y_B = 3^{233} \text{ mod } 353 = 248$.

After they exchange public keys, each can compute the common secret key: A computes

$K = (Y_B)^{X_A} \text{ mod } 353 = 248^{97} \text{ mod } 353 = 160$.

B computes $K = (Y_A)^{X_B} \text{ mod } 353 = 40^{233} \text{ mod } 353 = 160$.

Man-in-the-Middle Attack

Suppose Alice and Bob wish to exchange keys, and Darth is the adversary. The attack proceeds as follows:

1. Alice sends an encrypted message $M : E(K_2, M)$.
2. Darth intercepts the encrypted message and decrypts it, to recover M .
3. Darth sends Bob $E(K_1, M)$ or $E(K_1, M')$, where M' is any message. In the first case, Darth simply wants to eavesdrop on the communication without altering it. In the second case, Darth wants to modify the message going to Bob.

This vulnerability can be overcome with the use of digital signatures and public-key Certificates.