Doubly Linked List

Doubly linked list is a complex type of linked list in which a node contains a pointer to the previous as well as the next node in the sequence. Therefore, in a doubly linked list, a node consists of three parts: node data, pointer to the next node in sequence (next pointer), pointer to the previous node (previous pointer). A sample node in a doubly linked list is shown in the figure.



A doubly linked list containing three nodes having numbers from 1 to 3 in their data part, is shown in the following image.



- 2. {
- 3. struct node *prev;
- 4. **int** data;

- 5. struct node *next;
- 6. }

Memory Representation of a doubly linked list

Memory Representation of a doubly linked list is shown in the following image. Generally, doubly linked list consumes more space for every node and therefore, causes more expansive basic operations such as insertion and deletion. However, we can easily manipulate the elements of the list since the list maintains pointers in both the directions (forward and backward).

In the following image, the first element of the list that is i.e. 13 stored at address 1. The head pointer points to the starting address 1. Since this is the first element being added to the list therefore the **prev** of the list **contains** null. The next node of the list resides at address 4 therefore the first node contains 4 in its next pointer.

We can traverse the list in this way until we find any node containing null or -1 in its next part.



Memory Representation of a Doubly linked list

Operations on doubly linked list

Node Creation

- 1. struct node
- 2. {
- 3. struct node *prev;
- 4. int data;
- 5. struct node *next;
- 6. };
- 7. struct node *head;

All the remaining operations regarding doubly linked list are described in the following table.

SN	Operation	Description
1	Insertion at beginning	Adding the node into the linked list at beginning.
2	Insertion at end	Adding the node into the linked list to the end.
3	Insertion after specified node	Adding the node into the linked list after the specified node.
4	Deletion at beginning	Removing the node from beginning of the list
5	Deletion at the end	Removing the node from end of the list.
6	Deletion of the node having given data	Removing the node which is present just after the node containing the given data.
7	<u>Searching</u>	Comparing each node data with the item to be searched and return the location of the item in the list if the item found else return null.
8	<u>Traversing</u>	Visiting each node of the list at least once in order to perform some specific operation like searching, sorting, display, etc.

20

